

Qualitative studies of psychosis / Papers to find (not in Aegean, Auth, BPS)

- Boydell, K. M., Gladstone, B. M., & Volpe, T. (2006). Understanding help seeking delay in the prodrome to first episode psychosis: A secondary analysis of the perspectives of young people. *Psychiatric Rehabilitation Journal, 30*, 54–60.
- Charles, V., & Weaver, T. (2010). A qualitative study of illicit and non-prescribed drug use amongst people with psychotic disorders. *Journal of Mental Health, 19*, 99–106.
- Cook, S., & Chambers, E. (2009). What helps and hinders people with psychotic conditions doing what they want in their daily lives. *British Journal of Occupational Therapy, 72*, 238–248.
- Dunn, E. C., Wewiorski, N. J., & Rogers, E. S. (2008). The meaning and importance of employment to people in recovery from serious mental illness: Results of a qualitative study. *Psychiatric Rehabilitation Journal, 32*, 59–62.
- Gioia, D. (2006). Examining work delay in young adults with schizophrenia. *American Journal of Psychiatric Rehabilitation, 9*, 167–190.
- Gould, A., DeSouza, S., & Rebeiro-Gruhl, K. L. (2005). And then I lost that life: A shared narrative of four young men with schizophrenia. *British Journal of Occupational Therapy, 68*, 467–473.
- Hyde, P. (2001). Support groups for people who have experienced psychosis. *British Journal of Occupational Therapy, 64*, 169–174.
- Krupa, T., Woodside, H., & Pocock, K. (2010). Activity and social participation in the period following a first episode of psychosis and implications for occupational therapy. *British Journal of Occupational Therapy, 73*, 13–20.
- Lencucha, R., Kinsella, E. A., & Sumsion, T. (2008). The formation and maintenance of social relationships among individuals living with schizophrenia. *American Journal of Psychiatric Rehabilitation, 11*, 330–355.
- Roe, D. (2005). Recovering from severe mental illness: Mutual influences of self and illness. *Journal of Psychosocial Nursing and Mental Health Services, 43*, 34–40.
- Roe, D., Chopra, M., & Rudnick, A. (2004). Persons with psychosis as active agents interacting with their disorder. *Psychiatric Rehabilitation Journal, 28*, 122–128.
- Roe, D., Goldblatt, H., Baloush-Klienman, V., Swarbrick, M., & Davidson, L. (2009). Why and how people decide to stop taking prescribed psychiatric medication. *Psychiatric Rehabilitation Journal, 33*, 38–46.
- Tooth, B., Kalyanasundaram, V., Glover, H., & Momenzadah, S. (2003). Factors consumers identify as important to recovery from schizophrenia. *Australasian Psychiatry, 11* (Suppl. 1), S70–S77.
- Woodside, H., Krupa, T., & Pocock, K. (2007). Early psychosis, activity performance and social participation: A conceptual model to guide rehabilitation and recovery. *Psychiatric Rehabilitation Journal, 31*, 125–130.
- Woodside, H., Schell, L., & Allison-Hedges, J. (2006). Listening for recovery: The vocational success of people living with mental illness. *Canadian Journal of Occupational Therapy, 73*, 36–43.