

Articles to find

- Aghevli, M. A., Blanchard, J. J., & Hiran, W. P. (2003). The expression and experience of emotion in schizophrenia: A study of social interaction. *Psychiatry Research, 119*, 261-271.
- Andresen, R., Oades, L., & Caputi, P. (2003). The experience of recovery from schizophrenia: Towards an empirically validated stage model. *Australian & New Zealand Journal of Psychiatry, 37*, 586-594.
- Andrew, E., Gray, N., & Snowden, R. (2008). The relationship between trauma and beliefs about hearing voices: A study of psychiatric and non-psychiatric voice hearers. *Psychological Medicine, 38*(10), 1409-1417.
- Angermeyer, M., & Dietrich, S. (2006). Public beliefs about and attitudes towards people with mental illness: A review of population studies. *Acta Psychiatrica Scandinavica, 113*(3), 163-179.
- Barker, S., Lavender, T., & Morant, N. (2001). Client and family narratives on schizophrenia. *Journal of Mental Health, 10*(2), 199-212.
- Beavan, V., & Read, J. (2010). Hearing voices and listening to what they say: The importance of voice content in understanding and working with distressing voices. *Journal of Nervous & Mental Disease, 198*, 201-205.
- Beavan, V., Read, J., & Cartwright, C. (2011). The prevalence of voice-hearers in the general population: A literature review. *Journal of Mental Health, 20*(3), 281-292.
- Berry, K. K. L., Barrowclough, C., & Weardon, A. J. (2008). Attachment theory: A framework for understanding symptoms and interpersonal relationships in psychosis. *Behaviour Research Therapy, 46*, 1275-1282.
- Boevink, W. (2006). From being a disorder to dealing with life: An experiential exploration of the association between trauma psychosis. *Schizophrenia Bulletin, 32*(1), 17-19.
- Boydell, K. M., Gladstone, B. M., & Volpe, T. (2006). Understanding the help seeking delay in the prodrome to First Episode Psychosis: A secondary analysis of the perspectives of young people. *Psychiatric Rehabilitation Journal, 30*, 54-60.
- Boydell, K. M., Stasiulis, E., Volpe, T., & Gladstone, B. (2010). A descriptive review of qualitative studies in first episode psychosis. *Early Intervention in Psychiatry, 4*, 7-24.
- Byrne, R., & Morrison, A. P. (2010). Young people at risk of psychosis: A user-led exploration of interpersonal relationships and communication of psychological difficulties. *Early Intervention in Psychiatry, 4*, 162-168.
- Carter, D., MacKinnon, A., & Copolov, D. (1996). Patients' strategies for coping with auditory hallucinations. *Journal of Nervous and Mental Disease, 184*(3), 161-166.
- Casey, B., & Long, A. (2003). Meanings of madness: A literature review. *Journal of Psychiatric and Mental Health Nursing, 10*, 89-99.
- Chadwick, P. K. (1993). The stepladder to the impossible: A first hand phenomenological account of a schizoaffective psychotic crisis. *Journal of Mental Health, 2*, 239-250.
- Chadwick, P. K. (1997). Recovery from psychosis: Learning more from patients. *Journal of Mental Health, 6*(6), 577-588.
- Chadwick, P. K. (2007). Schizophrenia from the inside: Phenomenology and the integration of causes and meanings. *Schizophrenia Bulletin, 33*, 166-173.
- Chadwick, P., Sambrooke, S., Rasch, R., & Davies, E. (2000). Challenging the omnipotence of voices: Group cognitive behavioural therapy for voices. *Behaviour Research & Therapy, 38*, 993-1003.
- Corcoran, C., Davidson, L., Sills-Shahar, R., Nickou, C., Malaspina, D., Miller, T., & McGlashan, T. (2003). A qualitative research study of the evolution of symptoms in individuals identified as prodromal to psychosis. *Psychiatric Quarterly, 74*, 313-332.

- Corcoran, C., Gerson, R., Sills-Shahar, R., Nickou, C., McGlashan, T., Malaspina, D., & Davidson, L. (2007). Trajectory to a first episode of psychosis: A qualitative research study with families. *Early Intervention in Psychiatry, 1*, 308-315.
- Corin, E., & Lauzon, G. (1994). From symptoms to phenomena: The articulation of experience in schizophrenia. *Journal of Phenomenological Psychology, 25*, 3-50.
- Cradock, N., & Owen, M. J. (2005). The beginning of the end of the Kraepelinian dichotomy. *British Journal of Psychiatry, 186*, 364-366.
- Crisp, A. H. et al. (2000). Stigmatisation of people with mental illnesses. *British Journal of Psychiatry, 177*, 4-7.
- Crossley, N. (1999). Fish, field, habitus and madness: The first wave mental health users movement in Great Britain. *British Journal of Sociology, 50*(4), 647-670.
- Cutting, J., & Dunne, F. (1989). Subjective experience of schizophrenia. *Schizophrenia Bulletin, 15*(2), 217-231.
- Davidson, L., (1992). Developing an empirical-phenomenological approach to schizophrenia research. *Journal of Phenomenological Psychology, 23*(1), 3-15.
- Davidson, L., Borg, M., Marin, I., Topor, A., Mezzina, R., & Sells, D. (2005). Processes of recovery in psychosis: Findings from a multi-national study. *American Journal of Psychiatric Rehabilitation, 8*, 177-201.
- Davidson, L., & Stayner, D. (1997). Loss, loneliness, and the desire for love: Perspectives on the social lives of people with schizophrenia. *Psychiatric Rehabilitation Journal, 20*(3), 3-12.
- Deegan, G. (2003). Discovering recovery. *Psychiatric Rehabilitation Journal, 26*, 368-376.
- Drew, M. L., Dobson, K. S., & Stam, H. (1999). The negative self-concept in clinical depression: A discourse analysis. *Canadian Psychology, 40*(2), 192-204.
- First, M. B., Pincus, H. A., et al. (2004). Clinical utility as a criterion for revising psychiatric diagnoses. *American Journal of Psychiatry, 161*, 946-954.
- Grime, J., & Pollock, K. (2003). Patients' ambivalence about taking antidepressants: A qualitative study. *The Pharmaceutical Journal, 271*, 516-519.
- Hardy, K. V., Dickson, J. M., & Morrison, A. P. (2009). Journey into and through an early detection of psychosis service. *Early Intervention in Psychiatry, 3*, 52-57.
- Harrison, G. et al. (2001). Association between schizophrenia and social inequality at birth. *British Journal of Psychiatry, 179*(4), 346-350.
- Hoffman, R., Varanko, M., Gilmore, J., & Mishara, A. (2008). Experiential features used by patients with schizophrenia to differentiate "voices" from ordinary verbal thought. *Psychological Medicine, 38*, 1167-1176.
- Jablensky, A. (1999). The nature of psychiatric classification: Issues beyond ICD-10 and DSM-IV. *Australia & New Zealand Journal of Psychiatry, 33*, 137-144.
- Jacobson, N. (2001). Experiencing recovery: A dimensional analysis of recovery narratives. *Psychiatric Rehabilitation Journal, 24*, 248-256.
- Janssen, E. et al. (2003). Discrimination and delusional ideation. *British Journal of Psychiatry, 182*(1), 71-76.
- Jarvis, E. (2007). The social causes of psychosis in North American psychiatry. *Canadian Journal of Psychiatry, 52*(5), 287-294.
- Jones, S., Hughes, S., & Ormrod, J. (2001). A group evaluation of a hearing voices group. *Clinical Psychology Forum, 8*, 35-38.
- Kymalainen, J. A., & Weisman de Mamani, A. G. (2008). Expressed emotion, communication deviance, and culture in families of patients with schizophrenia: A review of the literature. *Cultural Diversity and Ethnic Minority Psychology, 2*, 85-91.
- Larsen, J. A. (2004). Finding meaning in first episode psychosis: Experience, agency, and the cultural repertoire. *Medical Anthropology Quarterly, 18*, 447-471.

- Lysaker, P., Buck, K., & LaRocco, V. (2007). Clinical and psychosocial significance of trauma history in the treatment of schizophrenia. *Journal of Psychosocial Nursing and Mental Health Services*, 45(8), 44-51.
- Lysaker, P., & Lysaker, J. (2008). Schizophrenia and alterations in self-experience: A comparison of 6 perspectives. *Schizophrenia Bulletin*, 36, 331-340.
- Magliano, L., Fiorillo, A., Malangone, C., Del Vecchio, H., & Maj, M. (2008). Views of persons with schizophrenia on their own disorder: An Italian participatory study. *Psychiatric Services*, 59, 795-799.
- Mallett, et al. (2002). Social environment, ethnicity and schizophrenia. *Social Psychiatry & Psychiatric Epidemiology*, 37(7), 329-335.
- McGorry, P. D. (2007). Issues for DSM-V: Clinical staging: A heuristic pathway to valid nosology and safer, more effective treatment in psychiatry. *American Journal of Psychiatry*, 164, 859-860.
- McCay, E., Ryan, K., & Amey, S. (1996). Mitigating engulfment: Recovering from a first episode of psychosis. *Journal of Psychosocial Nursing*, 34(11), 40-44.
- McMullen, L. M., & Herman, J. (2009). Women's accounts of their decision to quit taking antidepressants. *Qualitative Health Research*, 19, 1569-1579.
- Morrison, A. P., Nothard, S., Bowe, S., & Wells, A. (2004). Interpretations of voices in patients with hallucinations and non-patient controls, A comparison and predictors of distress in patients. *Behaviour Research and Therapy*, 42(11), 1315-1323.
- Moskowitz, A., & Corstens, D. (2007). Auditory hallucinations, Psychotic symptom or dissociative experience? *Journal of Psychological Trauma*, 6(2/3), 35-63.
- O'Toole, M. S., Ohlsen, R. I., Taylor, T. M., Purvis, R., Walters, J., & Pilowsky, L. S. (2004). Treating first-episode psychosis – the service-users perspective: A focus group evaluation. *Journal of Psychiatric and Mental Health Nursing*, 11, 319-326.
- Parnas, J., & Handest, P. (2003). Phenomenology of anomalous self-experience in early schizophrenia. *Comprehensive Psychiatry*, 44(2), 121-134.
- Pescosolido, B. A., Brooks Gardner, C., & Lubell, K. M. (1998). How people get into mental health services: Stories of choice, coercion and “muddling through” from “first-timers”. *Social Science & Medicine*, 46(2), 275-286.
- Read, J. (2007). Why promoting biological ideology increases prejudice against people labelled ‘schizophrenic’. *Australian Psychologist*, 42(2), 118-128.
- Read, J., & Harre, N. (2001). The role of biological and genetic causal beliefs in the stigmatisation of “mental patients”. *Journal of Mental Health*, 10, 223-235.
- Read, J., Haslam, N., Sayce, L., & Davies, E. (2006). Prejudice and schizophrenia: A review of the ‘mental illness is an illness like any other’ approach. *Acta Psychiatrica Scandinavica*, 114(5), 303-318.
- Read, J., Fink, P., Rudegeair, T., Felitti, V., & Whitfield, C. (2008). Child maltreatment and psychosis: A return to a genuinely integrated bio-psycho-social model. *Clinical Schizophrenia & Related Psychoses*, 2, 235-254.
- Ridgway, P. (2001). Restorying psychiatric disability: Learning from first person recovery narratives. *Psychiatric Rehabilitation Journal*, 24(4), 335-343.
- Rogers, A., & Pilgrim, D. (1991). Pulling down churches: Accounting for the British Mental Health Users Movement. *Sociology of Health and Illness*, 13(2), 129-148.
- Rudge, T., & Morse, K. (2004). Did anything change? Caregivers and schizophrenia after medication change. *Journal of Psychiatric and Mental Health Nursing*, 11, 3-11.
- Salize, H. J., & Dressing, H. (2004). Epidemiology of involuntary placement of mentally ill people across the European Union. *British Journal of Psychiatry*, 184, 163-168.
- Schiff, A. C. (2004). Recovery and mental illness: Analysis and personal reflections. *Psychiatric Rehabilitation Journal*, 27(3), 212-218.

- Schizophrenia Bulletin 33, 2007. Special issue: Deconstructing psychosis. (108-112, 843-845, 863-867, 868-876, 905-911)
- Shepherd, G., Murray, A., & Muijen, M. (1995). Perspectives on schizophrenia: A survey of user, family, carer and professional views regarding effective care. *Journal of Mental Health*, 4, 403-422.
- Sherard, M., Lavender, T. (1999). Putting aggression into context: An investigation into contextual factors influencing the rate of aggressive incidents in a psychiatric hospital. *Journal of Mental Health*, 8(2), 157-170.
- Sin, J., Moone, N., & Wellman, N. (2005). Developing services for the carers of young adults with early-onset psychosis: Listening to their experiences and needs. *Journal of Psychiatric and Mental Health Nursing*, 12, 589-597.
- Sin, J., Moone, N., & Harris, P. (2008). Siblings of individuals with first-episode psychosis: Understanding their experiences and needs. *Journal of Psychosocial Nursing and Mental Health Services*, 46, 33-40.
- Stainsby, M., Sapochnik, M., Bledin, K., & Mason, O. J. (2010). Are attitudes and beliefs about symptoms more important than symptom severity in recovery from psychosis? *Psychosis: Psychological, Social and Integrative Approaches*, 2(1), 41-49.
- Stip, E., & Letourneau, G. (2009). Psychotic symptoms as a continuum between normality and pathology. *Canadian Journal of Psychiatry*, 54(3), 140-151.
- Strike, C., Rhodes, A. E., Bergmans, Y., & Links, P. (2006). Fragmented pathways to care: The experiences of suicidal men. *Crisis*, 27(1), 31-38.
- Suri, R. (2010). Hearing voices: What can we learn from them? *Psychosis: Psychological, Social and Integrative Approaches*, 2(2), 178-180.
- Swartz, S., & Ismail, F. (2001). A motley crowd: The emergence of personality disorder as a diagnostic category in early 20th century South African psychiatry. *History of Psychiatry*, 7, 157-176.
- Tait, L., Birchwood, M., & Trower, P. (2003). Predicting engagement with services for psychosis: Insight, symptoms and recovery style. *British Journal of Psychiatry*, 82(2), 123-128.
- Tait, L., Birchwood, M., & Trower, P. (2004). Adapting to the challenge of psychosis: Personal resilience and the use of sealing-over (avoidant) coping strategies. *British Journal of Psychiatry*, 185(5), 410-415.
- Taitimu, M., & Read, J. (2006). Explanatory models of schizophrenia. *British Journal of Psychiatry*, 189, 284.
- Tsuang, M. T., Stone, W. S., & Faraone, S. V. (2000). Towards reformulating the diagnosis of schizophrenia. *American Journal of Psychiatry*, 157, 1041-1050.
- Van Os, J., Kenis, G., & Rutten, B. (2011). The environment and schizophrenia. *Nature*, 468, 203-212.
- Van Os, J., & Tamminga, C. (2007). Deconstructing psychosis. *Schizophrenia Bulletin*, 33(4), 861-862.
- Walker, J., & Read, J. (2002). The differential effectiveness of psychosocial and biogenetic causal explanations in reducing negative attitudes toward 'mental illness'. *Psychiatry*, 65(4), 313-325.
- Walsh, E., & Fahy, T. (2002). Violence in society: Contribution of mental illness is low. *British Medical Journal*, 325, 122-137.
- Zacher, P., & Kandler, K. S. (2007). Psychiatric disorders: A conceptual taxonomy. *American Journal of Psychiatry*, 164, 557-565.
- Young, S. L., & Ensing, D. S. (1999). Exploring recovery from the perspective of people with psychiatric disabilities. *Psychiatric Rehabilitation Journal*, 22, 219-231.

- Yung, A. R., & McGorry, P. D. (1996a). The prodromal phase of first episode psychosis: Past and current conceptualisations. *Schizophrenia Bulletin*, 22, 353-370.
- Yung, A. R., & McGorry, P. D. (1996b). The initial prodrome in psychosis: Descriptive and qualitative aspects. *Australian & New Zealand Journal of Psychiatry*, 30, 587-599.